AUTHOR INDEX

(D) Denotes Demonstration (T) Title only

ABROKWAH J. & GARTSIDE I.B. The effects of bicuculline on the excitability of the region of termination of axons running in the corpus callosum in the rat. 104*P*

ADAM-VIZI Vera & LIGETI Erzsébet Release of acetylcholine from rat brain synaptosomes by various agents in the absence of external calcium ions. 505

ADRIAN R.H. & HUANG C.L.-H. Experimental analysis of the relationship between charge movement components in skeletal muscle of *Rana temporaria*. 419

AHMED B. & HAMMOND P. Length summation characteristics of complex cells in cat striate cortex: how robust is the 'special' *vs* 'standard' classification? 24*P*

AKSTER H.A., GRANZIER H.L.M. & TER KEURS H.E.D.J. Force – sarcomere length relations vary with thin filament length in muscle fibres of the perch (*Perca fluviatilis L.*). 61*P*

AL-HUBAITY A.Y. & DICK D.A.T. Localization and measurements of sodium and potassium in intact oocytes of *Xenopus-laevis* by centrifugation studies. 81*P*

ALMERS W., MCCLESKEY E.W. & PALADE P.T. A non-selective cation conductance in frog muscle membrane blocked by micromolar external calcium ions. 565

ALMERS W. & MCCLESKEY E.W. Non-selective conductance in calcium channels of frog muscle: calcium selectivity in a single-file pore. 585

AMASSIAN V.E., BATSON D. & EBERLE L. Cerebellar lesions change joint angle interrelations during cat limb trajectories. 40*P*

ANDERSON R.A. & MITCHELL R. $GABA_A$ receptors have a biphasic effect on prolactin release *in vitro* from anterior pituitary of the rat. 100*P*

ANDREEV A.A., VEPRINTSEV B.N. & VULFIUS Catherine A. Two-component desensitization of nicotinic receptors induced by acetylcholine agonists in *Lymnaea stagnalis* neurones. 375

ANDREW R. David & DUDEK F. Edward Intrinsic inhibition in magnocellular neuroendocrine cells of rat hypothalamus. 171

APPENTENG K. & PROCHAZKA A. Tendon organ firing during active muscle lengthening in awake, normally behaving cats. 81

APPENTENG K. The central projections of spindle afferents from jaw elevator muscles as revealed by intracellular injection of Lucifer Yellow CH in anaesthetized rats. 41*P*

ARDEN G.B. & HOGG C.R. Absence of rod-cone interaction in nyctalopia and retinoschisis. 19*P*

ARENDT NIELSEN L., FORSTER A. & MILLS K.R. The relationship between muscle-fibre conduction velocity and force in the human vastus lateralis. (D) 6*P*

ARENDT NIELSEN L., FORSTER A. & MILLS K.R. E.m.g. power spectral shift and muscle-fibre conduction velocity during human muscle fatigue. 54*P*

ATTWELL David & GRAY Peter Use of patch-clamp recording to study salamander photoreceptors. (D) 2*P*

ATTWELL David & MOBBS Peter The effect of preceding membrane polarization on the light response of salamander rods. 78*P*

BANNATYNE B.A., KOERBER H.R. & MAXWELL D.J. Light-microscopical observations of putative synaptic contacts between primary afferent terminals and neurones with axons ascending the dorsal columns in the cat's spinal cord. 27*P*

BARANOWSKI R., COTSELL B.A. & LYNN B. A device for the rapid and precise determination of hair-unit receptive fields. (D) 16*P*

BARASI S., DUGGAL K.N. & RUSSELL D. Effects of apomorphine on the tail-flick latency in the anaesthetized rat. 105*P*

BARTON S., KARPINSKI E., LONGRIDGE D. & SCHACTER M. Mediators of vasodilatation in the cat submandibular gland: possible roles of vasoactive intestinal peptide and acetylcholine. 112*P*

BATSON D. *see* AMASSIAN V.E., BATSON D. & EBERLE L. Cerebellar lesions change joint angle interrelations during cat limb trajectories. 40*P*

BAUMANN K., CHENG-CHEW S.B., HAMANN W. & LEUNG M.S. The stimulus response properties of touch corpuscles during dimethylsulphoxide-induced trauma to the skin in the rat. 29P

BELT J.A., JARVIS S.M., PATERSON A.R.P., TSE C.M., WU J.S. & YOUNG J.D. Reconstitution of the human erythrocyte nucleoside transporter into liposomes. 87P

BENHAM C.D., BOLTON T.B. & LANG R.J. Membrane potential and voltage-clamp recording from single smooth muscle cells of rabbit jejunum. 67P

BENNETT T. & GARDINER S.M. Confirmation of the absence of adrenocortical function in adrenalectomized rats. 106P

BENNETT T. & GARDINER S.M. Blood-pressure dependency on vasopressin and the renin angiotensin system in adrenalectomized rats. 110P

BERARDELLI A., COWAN J , DAY B.L., DICK J.P.R., MARSDEN C.D. & ROTHWELL J.C. Motor cortical excitability in Parkinson's disease. 33P

BERARDELLI A., DAY B.L., KACHI T., MARSDEN C.D. & ROTHWELL J.C. The duration of the first agonist e.m.g. burst is not constant in rapid arm movements. 34P

BERWALD-NETTER Y., SHIMAHARA T., TAKEDA K. & TAUC L. Acetylcholine-activated and voltage-gated currents from neuroblastoma cells. 89P

BHOOLA K.D. & GADD Alison L. The effect of immunological sensitization on receptor-coupled adenylate cyclase in guinea-pig lung membranes. 119P

BISCOE T.J. & DUCHEN M.R. An isolated mouse spinal cord preparation. (D) (T) 18P

BISCOE T.J., FRY J.P., RICKETS C. & WU J.-Y. Immunocytochemical visualization of L-glutamate decarboxylase in the cerebellum of the normal and the mutant mouse *Lurcher*. 122P

BIXBY John L. & SPITZER Nicholas C. The appearance and development of neurotransmitter sensitivity in *Xenopus* embryonic spinal neurones *in vitro*. 143

BLACKSHAW Susanna E., PARNAS I. & THOMPSON S.W.N. Changes in the central arborization of primary afferent neurones during development of the leech nervous system. 47P

BLAND K.P., BOUNTRA C., GEORGIOU P., HOUSE C.R. & MARTIN R.J. Single-channel currents in unfertilized mouse eggs. 84P

BLINKS J.R. & ENDOH M. Sulmazol (AR-L 115 BS) alters the relation between [Ca^{2+}] and tension in living canine ventricular muscle. 63P

BOAKES R.J., TURNER J.D. & VIRMANI M.A. Quantitative studies of transmitter release induced by impermeant anions from rat brain slices. 95P

BOLTON T.B. *see* BENHAM C.D., BOLTON T.B. & LANG R.J. Membrane potential and voltage-clamp recording from single smooth muscle cells of rabbit jejunum. 67P

BOUNTRA C. *see* BLAND K.P., BOUNTRA C., GEORGIOU P., HOUSE C.R. & MARTIN R.J. Single-channel currents in unfertilized mouse eggs. 84P

BOWMAKER J.K., MOLLON J.D. & TRAVIS D.S. Variation in the photopigments of the common marmoset. 25P

BOYDE A., HADRAVSKY M. & PETRAN M. The tandem scanning reflected light microscope. (D) 7P

BOYDE A. & HOWELL P.G.T. Microcomputer-based system for bone-density analysis using the backscattered electron signal from the SEM. (D) 10P

BROWN A.G., KOERBER H.R. & NOBLE R. Single spinocervical tract cells receive both excitatory and inhibitory effects from single hair-follicle afferent fibres in the cat. 28P

BROWN D.A., DOCHERTY R.J. & HALLIWELL J.V. The action of cholinomimetic substances on impulse conduction in the habenulointerpeduncular pathway of the rat *in vitro*. 101

BROWN J.E., KAUPP U.B. & MALBON Craig C. 3′,5′-cyclic adenosine monophosphate and adenylate cyclase in phototransduction by *Limulus* ventral photoreceptors. 523

BROWN Lucy M. & FARQUHARSON D.B. A simple method for making accurate measurements from electron micrograph negatives. (D) 13P

BUDELMANN B.U. & WILLIAMSON R. Dual sensitivity in angular acceleration in the isolated statocyst sac of the octopus. 46P

BUIJS E.J., LEMON R.N., MANTEL G.W.H. & MUIR R.B. Effects of intracortical stimulation in the vicinity of motor cortex neurones with direct projections to hand and forearm muscles in the conscious monkey. 35P

BULLIER J., DEHAY C. & KENNEDY H. Axonal bifurcation and cortico-cortical connectivity in the kitten visual cortex. 22P

BURGH DALY M. de, WARD Jane & WOOD L.M. Comparison of the effects of lung inflation on the hind-limb vascular responses to stimulation of the carotid chemoreceptors and baroreceptors and to urinary bladder distention in the anaesthetized dog. 115*P*

BURNSTOCK G. & SNEDDON P. Pre-junctional control of excitatory junction potentials in isolated guinea-pig vas deferens by P_1-purinoceptors. 94*P*

BYLUND-FELLENIUS Anne-Christin, GARDNER M.L.G., IDSTRÖM J.-P., MANN G.E. & RENNIE M.J. The use of perfused rat hind limb for studies of transport of small-molecular-weight substances. (D) 5*P*

BYLUND-FELLENIUS Anne-Christin, GARDNER M.L.G., IDSTRÖM J.-P., MANN G.E. & RENNIE M.J. Kinetics of L-phenylalanine influx and concentration dependent efflux in tissues of the perfused rat hindlimb. 52*P*

CAMPBELL G., HUNT S.P., LIEBERMAN A.R., OHARA P.T., OTTERSEN O.P., STORM-MATHISEN J. & WU J.-Y. Immunohistochemical identification of GAD- and GABA-containing neurones in the olivary pretectal nucleus (OPN) of rat and mouse. 45*P*

CARMELIET E. Slow inactivation of the sodium current in rabbit cardiac Purkinje fibres. 125*P*

CARTER D.A., LIGHTMAN S.L. & WILLIAMS T.D.M. Sexual dimorphism in the posterior pituitary responses of the rat. 103*P*

CATLEY Maria, ELLAWAY P.H. & LOCKETT J.R. Reflexes and behaviour of the decerebrated frog and pigeon: a video recording for teaching. (D) 14*P*

CAVANAGH Marion E. & WARREN Anne Uptake of plasma proteins from c.s.f. into ventricular zone cells in the neocortex of new-born rats. 49*P*

CHAMINADE M., FOUTZ A.S. & ROSSIER J. Co-release of enkephalins and precursors with catecholamines from the perfused cat adrenal gland *in situ*. 157

CHAMLEY W.A. & PARKINGTON Helena C. Relaxin inhibits the plateau component of the action potential in the circular myometrium of the rat. 51

CHAPMAN S.J., EDWARDS R.H.T., GREIG C. & RUTHERFORD O. Practical application of the twitch interpolation technique for the study of voluntary contraction of the quadriceps muscle in man. (D) 3*P*

CHAPMAN S.J., ROUND J.M. & WARD P.S. Fibre type composition and contractile properties of three human muscles. 51*P*

CHAPMAN S.J., GRINDROD S. R. & JONES D.A. Cross-sectional area and force production of the quadriceps muscle. 53*P*

CHATAMRA K., DANIEL P.M., KENDALL Marion D. & LAM D.K.C. Comparison of the histological changes in the thymus of fasted, streptozotocin diabetic and genetically diabetic rats: with evidence that the enlarged adrenals in diabetes are not the cause of the atrophy in diabetic animals. 130*P*

CHENG-CHEW S.B. *see* BAUMANN K., CHENG-CHEW S.B., HAMANN W. & LEUNG M.S. The stimulus response properties of touch corpuscles during dimethylsulphoxide-induced trauma to the skin in the rat. 29*P*

CHIPPERFIELD A.R. Passive K influx into human red cells: ion substitution experiments. 133*P*

CHIPPERFIELD A.R. & SHENNAN D.B. The effect of changing pH and E_m on ouabain-insensitive Na and K efflux from human erythrocytes. 134*P*

CLAPHAM David E. & NEHER Erwin Trifluoperazine reduces inward ionic currents and secretion by separate mechanisms in bovine chromaffin cells. 541

CLAPIER Reneè Ventura *see* MENTRARD Daniel, VASSORT Guy & CLAPIER Reneè Ventura Effects of antiarrhythmic agents on the Ca conductance and the Na–Ca exchange in frog heart cells. 76*P*

CLAREMONT D., JACKSON M.J. & JONES D.A. Accumulation of calcium in experimentally damaged mouse muscles *in vitro*. 57*P*

COLLETT Beverley, MOXHAM J. & PONTE J. Can limb muscles perform the work of breathing? 118*P*

COLQUHOUN D. & OGDEN D.C. Evidence from single-channel recording of channel block by nicotinic agonists at the frog neuromuscular junction. 90*P*

CONTI F., HILLE B. & NONNER W. Non-stationary fluctuations of the potassium conductance at the node of Ranvier of the frog. 199

COTSELL B.A. *see* BARANOWSKI R., COTSELL B.A. & LYNN B. A device for the rapid and precise determination of hair-unit receptive fields. (D) 16*P*

COWAN J. *see* BERARDELLI A., COWAN J., DAY B.L., DICK J.P.R., MARSDEN C.D. & ROTHWELL J.C. Motor cortical excitability in Parkinson's disease. 33*P*

CRAGOE Edward, KACZOROWSKI Gregory J., REEVES John P. & SLAUGHTER Robert S. Amiloride analog interact with the monovalent cation binding site of the bovine heart sodium–calcium exchange carrier. 74P

CRONE Christian Lack of selectivity to small ions in paracellular pathways in cerebral and muscle capillaries of the frog. 317

CROSS Brenda A., LEAVER Kathryn D., SEMPLE S.J.G. & STIDWILL R.P. Response of carotid chemoreceptor discharge to small changes in P_{a,CO_2} in the cat. 131P

CROSSMAN A.R., MITCHELL I.J. & SAMBROOK M.A. Experimental hemiballismus: A [^{3}H]-2-deoxyglucose study in the monkey (*Macaca fascicularis*). 121P

CRUNELLI Vincenzo & MAYER Mark L. Membrane resistance changes accompanying the response to NMDA in slices prepared from rat hippocampus. 97P

DANIEL P.M. *see* CHATAMRA K., DANIEL P.M., KENDALL Marion D. & LAM D.K.C. Comparison of the histological changes in the thymus of fasted, streptozotocin diabetic and genetically diabetic rats: with evidence that the enlarged adrenals in diabetes are not the cause of the atrophy in diabetic animals. 130P

DAVEY N.J. & ELLAWAY P.H. A model for studying variability in spike trains and synchronous firing between neurones. (D) 15P

DAWSON Jill & DJAMGOZ M.B.A. The contribution of potassium ions to membrane electrogenesis in body-wall muscle cells of blowfly larvae. 80P

DAY B.L. *see* BERARDELLI A., COWAN J., DAY B.L., DICK J.P.R., MARSDEN C.D. & ROTHWELL J.C. Motor cortical excitability in Parkinson's disease. 33P

DAY B.L. *see* BERARDELLI A., DAY B.L., KACHI T., MARSDEN C.D. & ROTHWELL J.C. The duration of the first agonist e.m.g. burst is not constant in rapid arm movements. 34P

DEAN A.D.P. & DYER R.G. Fasting reverses the response of neurones in the mediobasal hypothalamus (MBH) of female rats to electrical stimulation of the ventral noradrenergic tract (VNAT). 101P

DEHAY C. *see* BULLIER J., DEHAY C. & KENNEDY H. Axonal bifurcation and cortico-cortical connectivity in the kitten visual cortex. 22P

DICK D.A.T. *see* AL-HUBAITY A.Y. & DICK D.A.T. Localization and measurements of sodium and potassium in intact oocytes of *Xenopus-laevis* by centrifugation studies. 81P

DICK J.P.R. *see* BERARDELLI A., COWAN J., DAY B.L., DICK J.P.R., MARSDEN C.D. & ROTHWELL J.C. Motor cortical excitability in Parkinson's disease. 33P

DIERINGER N. & ROWLERSON Anthea Fibre types in the extra-ocular muscles of the frog. 50P

DIFRANCESCO D., FERRONI A. & VISENTIN S. Cadmium blocks i_{Na} in calf Purkinje fibres. 73P

DJAMGOZ M.B.A. *see* DAWSON Jill & DJAMGOZ M.B.A. The contribution of potassium ions to membrane electrogenesis in body-wall muscle cells of blowfly larvae. 80P

DOCHERTY R.J. *see* BROWN D.A., DOCHERTY R.J. & HALLIWELL J.V. The action of cholinomimetic substances on impulse conduction in the habenulointerpeduncular pathway of the rat *in vitro*. 101

DONALDSON R.M., NASHAT F.S., NOBLE D. & TAGGART P. Differential effects of ischaemia and hyperkalaemia on myocardial repolarization and conduction times in the dog. 393

DUCHEN M.R. *see* BISCOE T.J. & DUCHEN M.R. An isolated mouse spinal cord preparation. (D) (T) 18P

DUDEK F. Edward *see* ANDREW R. David & DUDEK F. Edward Intrinsic inhibition in magnocellular neuroendocrine cells of rat hypothalamus. 171

DUFOSSE M., MASSION J. & PALMER C.I. Responses of pericruciate cortical neurones to superficial electrical stimulation of the forepaw in the unanaesthetized cat. 36P

DUGGAL K.N. *see* BARASI S., DUGGAL K.N. & RUSSELL D. Effects of apomorphine on the tail-flick latency in the anaesthetized rat. 105P

DURRANT C.J. A low-cost, microcomputer-based imaging system. (D) 9P

DURRANT C.J. A storage oscilloscope emulation on the BBC microcomputer. (D) 11P

DYER R.G. *see* DEAN A.D.P. & DYER R.G. Fasting reverses the response of neurones in the mediobasal hypothalamus (MBH) of female rats to electrical stimulation of the ventral noradrenergic tract (VNAT). 101P

DZIEGIELESWKA K.M., REYNOLDS M.L., SARANTIS M.E.P. & SAUNDERS N.R. Plasma proteins in fetal sheep brain: correlation of immunohistochemical distribution and local synthesis. 48P

DZIEGIELEWSKA K. M., SAFRAN A., SAUNDERS N.R. & SOREQ H. Method for identification of synthesis of plasma proteins in sheep and rat fetal brain. (D) 17P

EBERLE L. *see* AMASSIAN V.E., BATSON D. & EBERLE L. Cerebellar lesions change joint angle interrelations during cat limb trajectories. 40*P*

EDMAN K.A.P. & REGGIANI C. The sarcomere length–tension relation of frog skeletal muscle has no plateau. 62*P*

EDWARDS R.H.T. *see* CHAPMAN S.J., EDWARDS R.H.T., GREIG C. & RUTHERFORD O. Practical application of the twitch interpolation technique for the study of voluntary contraction of the quadriceps muscle in man. (D) 3*P*

EDWARDS R.H.T., GRINDROD S., NARICI M., RUTHERFORD O. & SARGEANT A.J. Assessment of human leg muscle size by anthropometry and X-ray computerized tomography. (D) 4*P*

EDWARDS R.H.T. & NEWHAM D.J. Force:frequency relationship determined by percutaneous stimulation of the quadriceps muscle. 128*P*

EDWARDS R.H.T., EFTHIMIOU J. & SPIRO S.G. Voltage independence of frequency:force relationship before and after fatiguing dynamic exercise in the sternomastoid muscle. 129*P*

EFTHIMIOU J. *see* EDWARDS R.H.T., EFTHIMIOU J. & SPIRO S.G. Voltage independence of frequency:force relationship before and after fatiguing dynamic exercise in the sternomastoid muscle. 129*P*

EISNER D.A. & NIEMAN C.J. The effects of low concentrations of caffeine on Ca^{2+}-dependent oscillations in sheep Purkinje fibres. 124*P*

ELIAS S.A. & TAYLOR A. Direct projections of jaw proprioceptor first-order afferents to the cerebellar cortex in the ferret. 42*P*

ELLAWAY P.H. *see* CATLEY Maria, ELLAWAY P.H. & LOCKETT J.R. Reflexes and behaviour of the decerebrated frog and pigeon: a video recording for teaching. (D) 14*P*

ELLAWAY P.H. *see* DAVEY N.J. & ELLAWAY P.H. A model for studying variability in spike trains and synchronous firing between neurones. (D) 15*P*

EMONET-DÉNAND F. & HUNT C.C. Influence of stretch on the persistence of dynamic fusimotor after-effects as studied in the anaesthetized cat. 38*P*

EMSON P.C., FITZGERALD M., GOEDERT M. & WALL P.D. Nerve growth factor partially reverses the neurophysiological and neurochemical effects of peripheral nerve section in the rat. 31*P*

ENDOH M. *see* BLINKS J.R. & ENDOH M. Sulmazol (AR-L 115 BS) alters the relation between $[Ca^{2+}]$ and tension in living canine ventricular muscle. 63*P*

EVANS Amanda L. & MILLS Ivor H. Further evidence for noradrenaline being the diuretic hormone in *Rhodnius prolixus*. 108*P*

FABIATO A. Dependence of the Ca^{2+}-induced release from the sarcoplasmic reticulum of skinned skeletal muscle fibres from the frog semitendinosus on the rate of change of free Ca^{2+} concentration at the outer surface of the sarcoplasmic reticulum. 56*P*

FARQUHARSON D.B. *see* BROWN Lucy M. & FARQUHARSON D.B. A simple method for making accurate measurements from electron micrograph negatives. (D) 13*P*

FERRONI A. *see* DIFRANCESCO D., FERRONI A. & VISENTIN S. Cadmium blocks i_{Na} in calf Purkinje fibres. 73*P*

FITZGERALD M. *see* EMSON P.C., FITZGERALD M., GOEDERT M. & WALL P.D. Nerve growth factor partially reverses the neurophysiological and neurochemical effects of peripheral nerve section in the rat. 31*P*

FORSLING Mary L. & PEYSNER K. Rhythms of vasopressin secretion in the female rat. 107*P*

FORSTER A. *see* ARENDT NIELSEN L., FORSTER A. & MILLS K.R. The relationship between muscle-fibre conduction velocity and force in the human vastus lateralis. (D) 6*P*

FORSTER A. *see* ARENDT NIELSEN L., FORSTER A. & MILLS K.R. E.m.g. power spectral shift and muscle-fibre conduction velocity during human muscle fatigue. 54*P*

FOUTZ A.S. *see* CHAMINADE M., FOUTZ A.S. & ROSSIER J. Co-release of enkephalins and precursors with catecholamines from the perfused cat adrenal gland *in situ*. 157

FOX A.P., HESS P., LANSMAN J.B., NOWYCKY M.C. & TSIEN R.W. Slow variations in the gating properties of single calcium channels in guinea-pig heart cells, chick neurones and neuroblastoma cells. 75*P*

FOZZARD H.A., FRIEDLANDER I., JANUARY C.T., MAKIELSKI J.C. & SHEETS M.F. Second-order kinetics of Na^+ channel inactivation in internally dialysed canine cardiac Purkinje cells. 72*P*

FRIEDLANDER I. *see* FOZZARD H.A., FRIEDLANDER I., JANUARY C.T., MAKIELSKI J.C. & SHEETS M.F.

Second-order kinetics of Na^+ channel inactivation in internally dialysed canine cardiac Purkinje cells. 72P

FRY J.P. *see* BISCOE T.J., FRY J.P., RICKETS C. & WU J.-Y. Immunocytochemical visualization of L-glutamate decarboxylase in the cerebellum of the normal and the mutant mouse *Lurcher*. 122P

GADD Alison L. *see* BHOOLA K.D. & GADD Alison L. The effect of immunological sensitization on receptor-coupled adenylate cyclase in guinea-pig lung membranes. 119P

GARDINER S.M. *see* BENNETT T. & GARDINER S.M. Confirmation of the absence of adrenocortical function in adrenalectomized rats. 106P

GARDINER S.M. *see* BENNETT T. & GARDINER S.M. Blood-pressure dependency on vasopressin and the renin angiotensin system in adrenalectomized rats. 110P

GARDNER M.L.G. *see* BYLUND-FELLENIUS Anne-Christin, GARDNER M.L.G., IDSTRÖM J.-P., MANN G.E. & RENNIE M.J. The use of perfused rat hind limb for studies of transport of small-molecular-weight substances. (D) 5P

GARDNER M.L.G. *see* BYLUND-FELLENIUS Anne-Christin, GARDNER M.L.G., IDSTRÖM J.-P., MANN G.E. & RENNIE M.J. Kinetics of L-phenylalanine influx and concentration dependent efflux in tissues of the perfused rat hindlimb. 52P

GARDNER-MEDWIN A.R. & RIBCHESTER R.R. An application of the BBC Microcomputer to teaching cell physiology. (D) 12P

GARTSIDE I.B. & LAYCOCK J.F. The relationship between water and food consumption in Brattleboro and Long Evans rats: evidence for plasma osmotic pressure as a linking factor. 82P

GARTSIDE I.B. *see* ABROKWAH J. & GARTSIDE I.B. The effects of bicuculline on the excitability of the region of termination of axons running in the corpus callosum in the rat. 104P

GEORGIOU P. *see* BLAND K.P., BOUNTRA C., GEORGIOU P., HOUSE C.R. & MARTIN R.J. Single-channel currents in unfertilized mouse eggs. 84P

GIBSON A., HART S.L. & WRIGHT T. A neural mechanism controlling plasma corticosterone in the pithed rat? 109P

GODFRAIND T., HARDY J.-P. & MOREL N. Actions of the spasmogenic dihydropyridine BAY K 8644 on mechanical and electrical activities of guinea-pig taenia coli. 127P

GOEDERT M. *see* EMSON P.C., FITZGERALD M., GOEDERT M. & WALL P.D. Nerve growth factor partially reverses the neurophysiological and neurochemical effects of peripheral nerve section in the rat. 31P

GORMAN A.L.F., LEVY Simon, NASI Enrico & TILLOTSON Douglas Intracellular calcium measured with calcium-sensitive micro-electrodes and Arsenazo III in voltage-clamped *Aplysia* neurones. 127

GOTTLIEB Sue & TAYLOR A. Differences in the reflexes of alpha and fusimotor neurones of jaw-closing muscles in the decerebrate cat. 37P

GRANT S., SHIPP S.D. & WILSON R.I. Differences in connectivity of two visual areas within the lateral suprasylvian (LS) complex of cat visual cortex. 21P

GRANZIER H.L.M. *see* AKSTER H.A., GRANZIER H.L.M. & TER KEURS H.E.D.J. Force – sarcomere length relations vary with thin filament length in muscle fibres of the perch (*Perca fluviatilis L.*). 61P

GRAY Peter *see* ATTWELL David & GRAY Peter Use of patch-clamp recording to study salamander photoreceptors. (D) 2P

GREIG C. *see* CHAPMAN S.J., EDWARDS R.H.T., GREIG C. & RUTHERFORD O. Practical application of the twitch interpolation technique for the study of voluntary contraction of the quadriceps muscle in man. (D) 3P

GRINDROD S. *see* EDWARDS R.H.T., GRINDROD S., NARICI M., RUTHERFORD O. & SARGEANT A.J. Assessment of human leg muscle size by anthropometry and X-ray computerized tomography. (D) 4P

GRINDROD S. R. *see* CHAPMAN S.J., GRINDROD S. R. & JONES D.A. Cross-sectional area and force production of the quadriceps muscle. 53P

GUNDERSEN C.B., MILEDI R. & PARKER I. Slowly inactivating potassium channels induced in *Xenopus* oocytes by messenger ribonucleic acid from *Torpedo* brain. 231

HADRAVSKY M. *see* BOYDE A., HADRAVSKY M. & PETRAN M. The tandem scanning reflected light microscope. (D) 7P

HALLIWELL J.V. *see* BROWN D.A., DOCHERTY R.J. & HALLIWELL J.V. The action of cholinomimetic substances on impulse conduction in the habenulointerpeduncular pathway of the rat *in vitro*. 101

HAMANN W. *see* BAUMANN K., CHENG-CHEW S.B., HAMANN W. & LEUNG M.S. The stimulus response properties of touch corpuscles during dimethylsulphoxide-induced trauma to the skin in the rat. 29P

HAMMOND P. *see* AHMED B. & HAMMOND P. Length summation characteristics of complex cells in cat striate cortex: how robust is the 'special' *vs* 'standard' classification? 24*P*

HANCK Dorothy A. & JEWELL B.R. Is the contractility of cat papillary muscle potentiated by active shortening? 60*P*

HARDY J.-P. *see* GODFRAIND T., HARDY J.-P. & MOREL N. Actions of the spasmogenic dihydropyridine BAY K 8644 on mechanical and electrical activities of guinea-pig taenia coli. 127*P*

HARRIS R.C. & SNOW D.H. ATP depletion following intermittent maximal exercise in the horse. 58*P*

HARRISON S.M. & MILLER D.J. Mitochondrial contribution to relaxation demonstrated in skinned cardiac muscle of the rat. 55*P*

HART S.L. *see* GIBSON A., HART S.L. & WRIGHT T. A neural mechanism controlling plasma corticosterone in the pithed rat? 109*P*

HEIZMANN C.W., PECKHAM M. & WOLEDGE R.C. A comparison of the rate of relaxation and isometric heat rate in sartorius and ELDIV muscles of the frog (*Rana temporaria*). 65*P*

HERRLING P.L. Evidence that the cortically evoked e.p.s.p. in cat caudate neurones is mediated by non-NMDA excitatory amino acid receptors. 98*P*

HESS P. *see* FOX A.P., HESS P., LANSMAN J.B., NOWYCKY M.C. & TSIEN R.W. Slow variations in the gating properties of single calcium channels in guinea-pig heart cells, chick neurones and neuroblastoma cells. 75*P*

HILLE B. *see* CONTI F., HILLE B. & NONNER W. Non-stationary fluctuations of the potassium conductance at the node of Ranvier of the frog. 199

HOGG C.R. *see* ARDEN G.B. & HOGG C.R. Absence of rod-cone interaction in nyctalopia and retinoschisis. 19*P*

HOLZBAUER Margarethe, RACKÉ K. & SHARMAN D.F. Release of 5-hydroxytryptamine from the neural and the intermediate lobe of the rat pituitary gland by electrical stimulation of the pituitary stalk *in vitro*. 102*P*

HOUSE C.R. *see* BLAND K.P., BOUNTRA C., GEORGIOU P., HOUSE C.R. & MARTIN R.J. Single-channel currents in unfertilized mouse eggs. 84*P*

HOWELL P.G.T. *see* BOYDE A. & HOWELL P.G.T. Microcomputer-based system for bone-density analysis using the backscattered electron signal from the SEM. (D) 10*P*

HUANG C.L.-H. *see* ADRIAN R.H. & HUANG C.L.-H. Experimental analysis of the relationship between charge movement components in skeletal muscle of *Rana temporaria*. 419

HUDLICKA O. & TYLER K.R. The effect of long-term high-frequency stimulation on capillary density and fibre types in rabbit fast muscles. 435

HUNT C.C. *see* EMONET-DÉNAND F. & HUNT C.C. Influence of stretch on the persistence of dynamic fusimotor after-effects as studied in the anaesthetized cat. 38*P*

HUNT S.P. *see* CAMPBELL G., HUNT S.P., LIEBERMAN A.R., OHARA P.T., OTTERSEN O.P., STORM-MATHISEN J. & WU J.-Y. Immunohistochemical identification of GAD- and GABA-containing neurones in the olivary pretectal nucleus (OPN) of rat and mouse. 45*P*

HUTTER O.F. & RANKIN A.C. Ionic basis of the hyperpolarizing action of adenyl compounds on sinus venosus of the tortoise heart. 111

IDSTRÖM J.-P. *see* BYLUND-FELLENIUS Anne-Christin, GARDNER M.L.G., IDSTRÖM J.-P., MANN G.E. & RENNIE M.J. The use of perfused rat hind limb for studies of transport of small-molecular-weight substances. (D) 5*P*

IDSTRÖM J.-P. *see* BYLUND-FELLENIUS Anne-Christin, GARDNER M.L.G., IDSTRÖM J.-P., MANN G.E. & RENNIE M.J. Kinetics of L-phenylalanine influx and concentration dependent efflux in tissues of the perfused rat hindlimb. 52*P*

IGGO A., MOLONY V. & STEEDMAN Wilma M. Monosynaptic responses of nocireceptive superficial dorsal horn neurones to electrical stimulation of unmyelinated primary afferents in the cat. 26*P*

IRVING M. Time-resolved measurements of optical retardation in frog isolated muscle fibres. 64*P*

JACKSON M.J. *see* CLAREMONT D., JACKSON M.J. & JONES D.A. Accumulation of calcium in experimentally damaged mouse muscles *in vitro*. 57*P*

JANUARY C.T. *see* FOZZARD H.A., FRIEDLANDER I., JANUARY C.T., MAKIELSKI J.C. & SHEETS M.F. Second-order kinetics of Na^+ channel inactivation in internally dialysed canine cardiac Purkinje cells. 72*P*

JARVIS S.M. *see* BELT J.A., JARVIS S.M., PATERSON A.R.P., TSE C.M., WU J.S. & YOUNG J.D. Reconstitution of the human erythrocyte nucleoside transporter into liposomes. 87*P*

JENESKOG T. & PADEL Y. An excitatory pathway through dorsal columns to rubrospinal cells in the cat. 355

JEWELL B.R. *see* HANCK Dorothy A. & JEWELL B.R. Is the contractility of cat papillary muscle potentiated by active shortening? 60*P*

JONES D.A. *see* CHAPMAN S.J., GRINDROD S. R. & JONES D.A. Cross-sectional area and force production of the quadriceps muscle. 53*P*

JONES D.A. *see* CLAREMONT D., JACKSON M.J. & JONES D.A. Accumulation of calcium in experimentally damaged mouse muscles *in vitro*. 57*P*

JONES H., KEELING D.J. & ROBERTS F. The regional distribution of histidine decarboxylase in the rat caudal brainstem: A possible involvement of histamine in the region containing the solitary tract nucleus. 44*P*

JONES H.C. & TAYLOR C.M. Absorption of the cerebrospinal fluid and intracranial compliance in an amphibian, *Rana pipiens*. 405

JONES P.W. & WAKEFIELD Julie M. Stimulation of breathing by small changes in blood pressure in anaesthetized dogs. 116*P*

JUKES M.G.M. & SMITH D.M. Mid-brain lesions in male rats may cause either increases or decreases in the first ejaculatory interval of copulatory behaviour. 83*P*

KACHI T. *see* BERARDELLI A., DAY B.L., KACHI T., MARSDEN C.D. & ROTHWELL J.C. The duration of the first agonist e.m.g. burst is not constant in rapid arm movements. 34*P*

KACZOROWSKI Gregory J. *see* CRAGOE Edward, KACZOROWSKI Gregory J., REEVES John P. & SLAUGHTER Robert S. Amiloride analog interact with the monovalent cation binding site of the bovine heart sodium–calcium exchange carrier. 74*P*

KARPINSKI E. *see* BARTON S., KARPINSKI E., LONGRIDGE D. & SCHACTER M. Mediators of vasodilatation in the cat submandibular gland: possible roles of vasoactive intestinal peptide and acetylcholine. 112*P*

KAUPP U.B. *see* BROWN J.E., KAUPP U.B. & MALBON Craig C. 3′,5′-cyclic adenosine monophosphate and adenylate cyclase in phototransduction by *Limulus* ventral photoreceptors. 523

KEELING D.J. *see* JONES H., KEELING D.J. & ROBERTS F. The regional distribution of histidine decarboxylase in the rat caudal brainstem: A possible involvement of histamine in the region containing the solitary tract nucleus. 44*P*

KELLY S.S., MORGAN G.P. & SMITH J.W. Curare resistance in murine muscular dystrophy. 92*P*

KENDALL Marion D. *see* CHATAMRA K., DANIEL P.M., KENDALL Marion D. & LAM D.K.C. Comparison of the histological changes in the thymus of fasted, streptozotocin diabetic and genetically diabetic rats: with evidence that the enlarged adrenals in diabetes are not the cause of the atrophy in diabetic animals. 130*P*

KENNEDY H. *see* BULLIER J., DEHAY C. & KENNEDY H. Axonal bifurcation and cortico-cortical connectivity in the kitten visual cortex. 22*P*

KIMURA Fukuko & TSAI Cheng-Wei Ultradian rhythm of growth hormone secretion and sleep in the adult male rat. 305

KOEHLER W.J., SCHOMBURG E.D. & STEFFENS H. Phasic modulation of trunk muscle efferents during fictive spinal locomotion in cats. 187

KOERBER H.R. *see* BANNATYNE B.A., KOERBER H.R. & MAXWELL D.J. Light-microscopical observations of putative synaptic contacts between primary afferent terminals and neurones with axons ascending the dorsal columns in the cat's spinal cord. 27*P*

KOERBER H.R. *see* BROWN A.G., KOERBER H.R. & NOBLE R. Single spinocervical tract cells receive both excitatory and inhibitory effects from single hair-follicle afferent fibres in the cat. 28*P*

KUMAR P. & NYE P.C.G. Animal ventilator for generation of fast independent P_{a,CO_2} and P_{a,O_2} waveforms. 117*P*

LAB M.J. & YARDLEY Jane Regional differences in electrical restitution of pig left ventricle. 70*P*

LAKIE M., WALSH E.G. & WRIGHT G.W. Resonance at the wrist demonstrated by the use of a torque motor: an instrumental analysis of muscle tone in man. 265

LAM D.K.C. *see* CHATAMRA K., DANIEL P.M., KENDALL Marion D. & LAM D.K.C. Comparison of the histological changes in the thymus of fasted, streptozotocin diabetic and genetically diabetic rats: with evidence that the enlarged adrenals in diabetes are not the cause of the atrophy in diabetic animals. 130*P*

LANG R.J. *see* BENHAM C.D., BOLTON T.B. & LANG R.J. Membrane potential and voltage-clamp recording from single smooth muscle cells of rabbit jejunum. 67*P*

LANSMAN J.B. *see* FOX A.P., HESS P., LANSMAN J.B., NOWYCKY M.C. & TSIEN R.W. Slow variations in the gating properties of single calcium channels in guinea-pig heart cells, chick neurones and neuroblastoma cells. 75*P*

LAW R.O. Characteristics of ionic binding by rat renal tissue *in vitro*. 67

LAYCOCK J.F. *see* GARTSIDE I.B. & LAYCOCK J.F. The relationship between water and food consumption in Brattleboro and Long Evans rats: evidence for plasma osmotic pressure as a linking factor. 82*P*

LEAVER Kathryn D. *see* CROSS Brenda A., LEAVER Kathryn D., SEMPLE S.J.G. & STIDWILL R.P. Response of carotid chemoreceptor discharge to small changes in P_{a,CO_2} in the cat. 131*P*

LEMON R.N. *see* BUIJS E.J., LEMON R.N., MANTEL G.W.H. & MUIR R.B. Effects of intracortical stimulation in the vicinity of motor cortex neurones with direct projections to hand and forearm muscles in the conscious monkey. 35*P*

LEUNG M.S. *see* BAUMANN K., CHENG-CHEW S.B., HAMANN W. & LEUNG M.S. The stimulus response properties of touch corpuscles during dimethylsulphoxide-induced trauma to the skin in the rat. 29*P*

LEVY Simon *see* GORMAN A.L.F., LEVY Simon, NASI Enrico & TILLOTSON Douglas Intracellular calcium measured with calcium-sensitive micro-electrodes and Arsenazo III in voltage-clamped *Aplysia* neurones. 127

LIEBERMAN A.R. *see* CAMPBELL G., HUNT S.P., LIEBERMAN A.R., OHARA P.T., OTTERSEN O.P., STORM-MATHISEN J. & WU J.-Y. Immunohistochemical identification of GAD- and GABA-containing neurones in the olivary pretectal nucleus (OPN) of rat and mouse. 45*P*

LIGETI Erzsébet *see* ADAM-VIZI Vera & LIGETI Erzsébet Release of acetylcholine from rat brain synaptosomes by various agents in the absence of external calcium ions. 505

LIGHTMAN S.L. *see* CARTER D.A., LIGHTMAN S.L. & WILLIAMS T.D.M. Sexual dimorphism in the posterior pituitary responses of the rat. 103*P*

LOCKETT J.R. *see* CATLEY Maria, ELLAWAY P.H. & LOCKETT J.R. Reflexes and behaviour of the decerebrated frog and pigeon: a video recording for teaching. (D) 14*P*

LONGRIDGE D. *see* BARTON S., KARPINSKI E., LONGRIDGE D. & SCHACTER M. Mediators of vasodilatation in the cat submandibular gland: possible roles of vasoactive intestinal peptide and acetylcholine. 112*P*

LOVICK A.H.J., PICKARD J.D.. & RICHARDS H.K. An inexpensive microcomputer-based densitometer. 132*P*

LYNN B. *see* BARANOWSKI R., COTSELL B.A. & LYNN B. A device for the rapid and precise determination of hair-unit receptive fields. (D) 16*P*

MCALLEN R.M. Do ventral medullary surface neurones integrate the 'visceral alerting response' in the cat? 120*P*

MCCLESKEY E.W. *see* ALMERS W., MCCLESKEY E.W. & PALADE P.T. A non-selective cation conductance in frog muscle membrane blocked by micromolar external calcium ions. 565

MCCLESKEY E.W. *see* ALMERS W. & MCCLESKEY E.W. Non-selective conductance in calcium channels of frog muscle: calcium selectivity in a single-file pore. 585

MCGRATH J.C., MILLER D.J. & SMITH G.L. Contractile responses of rat anococcygeus smooth muscle to noradrenaline at buffered low levels of ionized calcium. 66*P*

MCHALE N.G. & THORNBURY K.D. The effect of haemorrhage on peripheral lymph flow in conscious sheep. 114*P*

MCMAHON S.B. & WOOLF C.J. The effects of peripheral injury on the mechanosensitivity of rat unmyelinated cutaneous afferents. 30*P*

MAKIELSKI J.C. *see* FOZZARD H.A., FRIEDLANDER I., JANUARY C.T., MAKIELSKI J.C. & SHEETS M.F. Second-order kinetics of Na^+ channel inactivation in internally dialysed canine cardiac Purkinje cells. 72*P*

MALBON Craig C. *see* BROWN J.E., KAUPP U.B. & MALBON Craig C. 3′,5′-cyclic adenosine monophosphate and adenylate cyclase in phototransduction by *Limulus* ventral photoreceptors. 523

MANN G.E. *see* BYLUND-FELLENIUS Anne-Christin, GARDNER M.L.G., IDSTRÖM J.-P., MANN G.E. & RENNIE M.J. The use of perfused rat hind limb for studies of transport of small-molecular-weight substances. (D) 5*P*

MANN G.E. *see* BYLUND-FELLENIUS Anne-Christin, GARDNER M.L.G., IDSTRÖM J.-P., MANN G.E. & RENNIE M.J. Kinetics of L-phenylalanine influx and concentration dependent efflux in tissues of the perfused rat hindlimb. 52*P*

MANTEL G.W.H. *see* BUIJS E.J., LEMON R.N., MANTEL G.W.H. & MUIR R.B. Effects of intracortical stimulation in the vicinity of motor cortex neurones with direct projections to hand and forearm muscles in the conscious monkey. 35*P*

MARSDEN C.D. *see* BERARDELLI A., COWAN J., DAY B.L., DICK J.P.R., MARSDEN C.D. & ROTHWELL J.C. Motor cortical excitability in Parkinson's disease. 33*P*

MARSDEN C.D. *see* BERARDELLI A., DAY B.L., KACHI T., MARSDEN C.D. & ROTHWELL J.C. The duration of the first agonist e.m.g. burst is not constant in rapid arm movements. 34*P*

MARTIN Kevan A.C. & WHITTERIDGE David Form, function and intracortical projections of spiny neurones in the striate visual cortex of the cat. 463

MARTIN R.J. *see* BLAND K.P., BOUNTRA C., GEORGIOU P., HOUSE C.R. & MARTIN R.J. Single-channel currents in unfertilized mouse eggs. 84*P*

MASSION J. *see* DUFOSSE M., MASSION J. & PALMER C.I. Responses of pericruciate cortical neurones to superficial electrical stimulation of the forepaw in the unanaesthetized cat. 36*P*

MATTHEWS Peter B.C. Observations on the time course of the electromyographic response reflexly elicited by muscle vibration in man. 447

MAXWELL D.J. *see* BANNATYNE B.A., KOERBER H.R. & MAXWELL D.J. Light-microscopical observations of putative synaptic contacts between primary afferent terminals and neurones with axons ascending the dorsal columns in the cat's spinal cord. 27*P*

MAYER Mark L. & WESTBROOK Gary L. On the apparent membrane resistance change evoked by L-glutamic acid in mouse spinal neurones in culture. 96*P*

MAYER Mark L. *see* CRUNELLI Vincenzo & MAYER Mark L. Membrane resistance changes accompanying the response to NMDA in slices prepared from rat hippocampus. 97*P*

MEDILANSKI J. & STRAUB R.W. Release of calcium by electrical activity in rabbit non-myelinated nerve. 126*P*

MENTRARD Daniel, VASSORT Guy & CLAPIER Reneè Ventura Effects of antiarrhythmic agents on the Ca conductance and the Na–Ca exchange in frog heart cells. 76*P*

MICHEL C.C. & PHILLIPS Mary E. Effects of the divalent cation ionophore A23187 on the permeability of single frog mesenteric capillaries. 111*P*

MILEDI R. *see* GUNDERSEN C.B., MILEDI R. & PARKER I. Slowly inactivating potassium channels induced in *Xenopus* oocytes by messenger ribonucleic acid from *Torpedo* brain. 231

MILEDI R., REISER G. & UCHITEL O. Properties of acetycholine receptor-channels appearing after transection of frog skeletal muscle fibres. 88*P*

MILLER D.J. *see* HARRISON S.M. & MILLER D.J. Mitochondrial contribution to relaxation demonstrated in skinned cardiac muscle of the rat. 55*P*

MILLER D.J. *see* MCGRATH J.C., MILLER D.J. & SMITH G.L. Contractile responses of rat anococcygeus smooth muscle to noradrenaline at buffered low levels of ionized calcium. 66*P*

MILLS Ivor H. *see* EVANS Amanda L. & MILLS Ivor H. Further evidence for noradrenaline being the diuretic hormone in *Rhodnius prolixus*. 108*P*

MILLS K.R. *see* ARENDT NIELSEN L., FORSTER A. & MILLS K.R. The relationship between muscle-fibre conduction velocity and force in the human vastus lateralis. (D) 6*P*

MILLS K.R. *see* ARENDT NIELSEN L., FORSTER A. & MILLS K.R. E.m.g. power spectral shift and muscle-fibre conduction velocity during human muscle fatigue. 54*P*

MITCHELL I.J. *see* CROSSMAN A.R., MITCHELL I.J. & SAMBROOK M.A. Experimental hemiballismus: A [^{3}H]-2-deoxyglucose study in the monkey (*Macaca fascicularis*). 121*P*

MITCHELL Mary R., POWELL T., TERRAR D.A. & TWIST V.W. Effects of a change of stimulation rate on contraction and membrane currents in voltage-clamped cells from rat ventricle. 69*P*

MITCHELL R. *see* ANDERSON R.A. & MITCHELL R. $GABA_A$ receptors have a biphasic effect on prolactin release *in vitro* from anterior pituitary of the rat. 100*P*

MOBBS Peter *see* ATTWELL David & MOBBS Peter The effect of preceding membrane polarization on the light response of salamander rods. 78*P*

MOLLON J.D. *see* BOWMAKER J.K., MOLLON J.D. & TRAVIS D.S. Variation in the photopigments of the common marmoset. 25*P*

MOLONY V. *see* IGGO A., MOLONY V. & STEEDMAN Wilma M. Monosynaptic responses of nocireceptive superficial dorsal horn neurones to electrical stimulation of unmyelinated primary afferents in the cat. 26*P*

MOREL N. *see* GODFRAIND T., HARDY J.-P. & MOREL N. Actions of the spasmogenic dihydropyridine BAY K 8644 on mechanical and electrical activities of guinea-pig taenia coli. 127*P*

MORGAN D., PROCHAZKA A. & PROSKE U. Single dynamic fusimotor neurones can maintain firing of cat soleus Ia afferents during rapid muscle shortening. 39*P*

MORGAN G.P. *see* KELLY S.S., MORGAN G.P. & SMITH J.W. Curare resistance in murine muscular dystrophy. 92*P*

MORLEY J. & SANJAR S. Autonomic regulation of mucociliary transport rate in the oesophagus of the frog, *Rana temporaria*. 93

MORUZZI P., SCHWABER J.S., SPYER K.M. & TURNER S.A. Amygdaloid influences on brainstem neurones in the rabbit. 43*P*

MOUAT G.S.V. Colour opponent cone-rod interactions in cat lateral geniculate nucleus. 20*P*

MOXHAM J. *see* COLLETT Beverley, MOXHAM J. & PONTE J. Can limb muscles perform the work of breathing? 118*P*

MUIR R.B. *see* BUIJS E.J., LEMON R.N., MANTEL G.W.H. & MUIR R.B. Effects of intracortical stimulation in the vicinity of motor cortex neurones with direct projections to hand and forearm muscles in the conscious monkey. 35*P*

MULDER B.J.M. *see* TER KEURS H.E.D.J. & MULDER B.J.M. Propagation of after-contractions in cardiac muscle of rat. 59*P*

NAKATANI K. & YAU K.-W. Measurement of Na–Ca exchange current in toad retinal rod after Ca loading. 77*P*

NARICI M. *see* EDWARDS R.H.T., GRINDROD S., NARICI M., RUTHERFORD O. & SARGEANT A.J. Assessment of human leg muscle size by anthropometry and X-ray computerized tomography. (D) 4*P*

NASHAT F.S. *see* DONALDSON R.M., NASHAT F.S., NOBLE D. & TAGGART P. Differential effects of ischaemia and hyperkalaemia on myocardial repolarization and conduction times in the dog. 393

NASI Enrico *see* GORMAN A.L.F., LEVY Simon, NASI Enrico & TILLOTSON Douglas Intracellular calcium measured with calcium-sensitive micro-electrodes and Arsenazo III in voltage-clamped *Aplysia* neurones. 127

NEHER Erwin *see* CLAPHAM David E. & NEHER Erwin Trifluoperazine reduces inward ionic currents and secretion by separate mechanisms in bovine chromaffin cells. 541

NEWBERRY N.R. & NICOLL R.A. Similarities between the action of baclofen and the slow i.p.s.p. transmitter in rat hippocampal pyramidal cells *in vitro*. (Precirculated.) 99*P*

NEWHAM D.J. *see* EDWARDS R.H.T. & NEWHAM D.J. Force:frequency relationship determined by percutaneous stimulation of the quadriceps muscle. 128*P*

NICOLL R.A. *see* NEWBERRY N.R. & NICOLL R.A. Similarities between the action of baclofen and the slow i.p.s.p. transmitter in rat hippocampal pyramidal cells *in vitro*. (Precirculated.) 99*P*

NIEMAN C.J. *see* EISNER D.A. & NIEMAN C.J. The effects of low concentrations of caffeine on Ca^{2+}-dependent oscillations in sheep Purkinje fibres. 124*P*

NOBLE D. *see* DONALDSON R.M., NASHAT F.S., NOBLE D. & TAGGART P. Differential effects of ischaemia and hyperkalaemia on myocardial repolarization and conduction times in the dog. 393

NOBLE Denis Review Lecture. The surprising heart: a review of recent progress in cardiac electrophysiology. 1

NOBLE R. *see* BROWN A.G., KOERBER H.R. & NOBLE R. Single spinocervical tract cells receive both excitatory and inhibitory effects from single hair-follicle afferent fibres in the cat. 28*P*

NONNER W. *see* CONTI F., HILLE B. & NONNER W. Non-stationary fluctuations of the potassium conductance at the node of Ranvier of the frog. 199

NOWYCKY M.C. *see* FOX A.P., HESS P., LANSMAN J.B., NOWYCKY M.C. & TSIEN R.W. Slow variations in the gating properties of single calcium channels in guinea-pig heart cells, chick neurones and neuroblastoma cells. 75*P*

NYE P.C.G. *see* KUMAR P. & NYE P.C.G. Animal ventilator for generation of fast independent P_{a,CO_2} and P_{a,O_2} waveforms. 117*P*

OBIKA L.F.O. The effect of haemorrhage on the heart rate and blood pressure in conscious and anaesthetized rats. 113*P*

OETLIKER H. & SCHÜMPERLI R.A. Birefringence signal and early mechanical changes at normal and increased tonicities in frog skeletal muscle. 287

OGDEN D.C. *see* COLQUHOUN D. & OGDEN D.C. Evidence from single-channel recording of channel block by nicotinic agonists at the frog neuromuscular junction. 90*P*

OHARA P.T. *see* CAMPBELL G., HUNT S.P., LIEBERMAN A.R., OHARA P.T., OTTERSEN O.P., STORM-MATHISEN J. & WU J.-Y. Immunohistochemical identification of GAD- and GABA-containing neurones in the olivary pretectal nucleus (OPN) of rat and mouse. 45*P*

OTTERSEN O.P. *see* CAMPBELL G., HUNT S.P., LIEBERMAN A.R., OHARA P.T., OTTERSEN O.P.,

STORM-MATHISEN J. & WU J.-Y. Immunohistochemical identification of GAD- and GABA-containing neurones in the olivary pretectal nucleus (OPN) of rat and mouse. 45*P*

PADEL Y. *see* JENESKOG T. & PADEL Y. An excitatory pathway through dorsal columns to rubrospinal cells in the cat. 355

PALADE P.T. *see* ALMERS W., MCCLESKEY E.W. & PALADE P.T. A non-selective cation conductance in frog muscle membrane blocked by micromolar external calcium ions. 565

PALMER C.I. *see* DUFOSSE M., MASSION J. & PALMER C.I. Responses of pericruciate cortical neurones to superficial electrical stimulation of the forepaw in the unanaesthetized cat. 36*P*

PARKER I. *see* GUNDERSEN C.B., MILEDI R. & PARKER I. Slowly inactivating potassium channels induced in *Xenopus* oocytes by messenger ribonucleic acid from *Torpedo* brain. 231

PARKINGTON Helena C. *see* CHAMLEY W.A. & PARKINGTON Helena C. Relaxin inhibits the plateau component of the action potential in the circular myometrium of the rat. 51

PARNAS I. *see* BLACKSHAW Susanna E., PARNAS I. & THOMPSON S.W.N. Changes in the central arborization of primary afferent neurones during development of the leech nervous system. 47*P*

PATERSON A.R.P. *see* BELT J.A., JARVIS S.M., PATERSON A.R.P., TSE C.M., WU J.S. & YOUNG J.D. Reconstitution of the human erythrocyte nucleoside transporter into liposomes. 87*P*

PECKHAM M. *see* HEIZMANN C.W., PECKHAM M. & WOLEDGE R.C. A comparison of the rate of relaxation and isometric heat rate in sartorius and ELDIV muscles of the frog (*Rana temporaria*). 65*P*

PELHATE M. & PICHON Y. Relative efficacy of 4-AP and 3,4-DAP on K currents in giant axons of *Loligo forbesi*. 79*P*

PELL J., PHIPPS R.J., WELLS U.M. & WIDDICOMBE J.G. Control of mucoglycoprotein output from the rabbit nose. 339

PETRAN M. *see* BOYDE A., HADRAVSKY M. & PETRAN M. The tandem scanning reflected light microscope. (D) 7*P*

PEYSNER K. *see* FORSLING Mary L. & PEYSNER K. Rhythms of vasopressin secretion in the female rat. 107*P*

PHILLIPS Mary E. *see* MICHEL C.C. & PHILLIPS Mary E. Effects of the divalent cation ionophore A23187 on the permeability of single frog mesenteric capillaries. 111*P*

PHIPPS R.J. *see* PELL J., PHIPPS R.J., WELLS U.M. & WIDDICOMBE J.G. Control of mucoglycoprotein output from the rabbit nose. 339

PICHON Y. *see* PELHATE M. & PICHON Y. Relative efficacy of 4-AP and 3,4-DAP on K currents in giant axons of *Loligo forbesi*. 79*P*

PICKARD J.D.. *see* LOVICK A.H.J., PICKARD J.D.. & RICHARDS H.K. An inexpensive microcomputer-based densitometer. 132*P*

PONTE J. *see* COLLETT Beverley, MOXHAM J. & PONTE J. Can limb muscles perform the work of breathing? 118*P*

POWELL T. *see* MITCHELL Mary R., POWELL T., TERRAR D.A. & TWIST V.W. Effects of a change of stimulation rate on contraction and membrane currents in voltage-clamped cells from rat ventricle. 69*P*

PROCHAZKA A. *see* APPENTENG K. & PROCHAZKA A. Tendon organ firing during active muscle lengthening in awake, normally behaving cats. 81

PROCHAZKA A. *see* MORGAN D., PROCHAZKA A. & PROSKE U. Single dynamic fusimotor neurones can maintain firing of cat soleus Ia afferents during rapid muscle shortening. 39*P*

PROSKE U. *see* MORGAN D., PROCHAZKA A. & PROSKE U. Single dynamic fusimotor neurones can maintain firing of cat soleus Ia afferents during rapid muscle shortening. 39*P*

RACKÉ K. *see* HOLZBAUER Margarethe, RACKÉ K. & SHARMAN D.F. Release of 5-hydroxytryptamine from the neural and the intermediate lobe of the rat pituitary gland by electrical stimulation of the pituitary stalk *in vitro*. 102*P*

RANKIN A.C. *see* HUTTER O.F. & RANKIN A.C. Ionic basis of the hyperpolarizing action of adenyl compounds on sinus venosus of the tortoise heart. 111

RASHBASS J. The origin of the taste buds of the rabbit foliate papillae. 32*P*

REEVES John P. *see* CRAGOE Edward, KACZOROWSKI Gregory J., REEVES John P. & SLAUGHTER Robert S. Amiloride analog interact with the monovalent cation binding site of the bovine heart sodium–calcium exchange carrier. 74*P*

REGGIANI C. *see* EDMAN K.A.P. & REGGIANI C. The sarcomere length–tension relation of frog skeletal muscle has no plateau. 62*P*

REISER G. *see* MILEDI R., REISER G. & UCHITEL O. Properties of acetycholine receptor-channels appearing after transection of frog skeletal muscle fibres. 88*P*

RENNIE M.J. *see* BYLUND-FELLENIUS Anne-Christin, GARDNER M.L.G., IDSTRÖM J.-P., MANN G.E. & RENNIE M.J. The use of perfused rat hind limb for studies of transport of small-molecular-weight substances. (D) 5*P*

RENNIE M.J. *see* BYLUND-FELLENIUS Anne-Christin, GARDNER M.L.G., IDSTRÖM J.-P., MANN G.E. & RENNIE M.J. Kinetics of L-phenylalanine influx and concentration dependent efflux in tissues of the perfused rat hindlimb. 52*P*

REYNOLDS M.L. *see* DZIEGIELESWKA K.M., REYNOLDS M.L., SARANTIS M.E.P. & SAUNDERS N.R. Plasma proteins in fetal sheep brain: correlation of immunohistochemical distribution and local synthesis. 48*P*

RIBCHESTER R.R. *see* GARDNER-MEDWIN A.R. & RIBCHESTER R.R. An application of the BBC Microcomputer to teaching cell physiology. (D) 12*P*

RICHARDS H.K. *see* LOVICK A.H.J., PICKARD J.D.. & RICHARDS H.K. An inexpensive microcomputer-based densitometer. 132*P*

RICKETS C. *see* BISCOE T.J., FRY J.P., RICKETS C. & WU J.-Y. Immunocytochemical visualization of L-glutamate decarboxylase in the cerebellum of the normal and the mutant mouse *Lurcher*. 122*P*

ROBERTS F. *see* JONES H., KEELING D.J. & ROBERTS F. The regional distribution of histidine decarboxylase in the rat caudal brainstem: A possible involvement of histamine in the region containing the solitary tract nucleus. 44*P*

ROSENBERG M.E. Faces of physiology: Some additions to the Harold Lewis photographic collection. (D) (T) 18*P*

ROSSIER J. *see* CHAMINADE M., FOUTZ A.S. & ROSSIER J. Co-release of enkephalins and precursors with catecholamines from the perfused cat adrenal gland *in situ*. 157

ROTHWELL J.C. *see* BERARDELLI A., COWAN J., DAY B.L., DICK J.P.R., MARSDEN C.D. & ROTHWELL J.C. Motor cortical excitability in Parkinson's disease. 33*P*

ROTHWELL J.C. *see* BERARDELLI A., DAY B.L., KACHI T., MARSDEN C.D. & ROTHWELL J.C. The duration of the first agonist e.m.g. burst is not constant in rapid arm movements. 34*P*

ROUND J.M. *see* CHAPMAN S.J., ROUND J.M. & WARD P.S. Fibre type composition and contractile properties of three human muscles. 51*P*

ROWLERSON Anthea *see* DIERINGER N. & ROWLERSON Anthea Fibre types in the extra-ocular muscles of the frog. 50*P*

RUSSELL D. *see* BARASI S., DUGGAL K.N. & RUSSELL D. Effects of apomorphine on the tail-flick latency in the anaesthetized rat. 105*P*

RUTHERFORD O. *see* CHAPMAN S.J., EDWARDS R.H.T., GREIG C. & RUTHERFORD O. Practical application of the twitch interpolation technique for the study of voluntary contraction of the quadriceps muscle in man. (D) 3*P*

RUTHERFORD O. *see* EDWARDS R.H.T., GRINDROD S., NARICI M., RUTHERFORD O. & SARGEANT A.J. Assessment of human leg muscle size by anthropometry and X-ray computerized tomography. (D) 4*P*

SAFRAN A. *see* DZIEGIELEWSKA K. M., SAFRAN A., SAUNDERS N.R. & SOREQ H. Method for identification of synthesis of plasma proteins in sheep and rat fetal brain. (D) 17*P*

SAMBROOK M.A. *see* CROSSMAN A.R., MITCHELL I.J. & SAMBROOK M.A. Experimental hemiballismus: A [^{3}H]-2-deoxyglucose study in the monkey (*Macaca fascicularis*). 121*P*

SANJAR S. *see* MORLEY J. & SANJAR S. Autonomic regulation of mucociliary transport rate in the oesophagus of the frog, *Rana temporaria*. 93

SARANTIS M.E.P. *see* DZIEGIELESWKA K.M., REYNOLDS M.L., SARANTIS M.E.P. & SAUNDERS N.R. Plasma proteins in fetal sheep brain: correlation of immunohistochemical distribution and local synthesis. 48*P*

SARGEANT A.J. *see* EDWARDS R.H.T., GRINDROD S., NARICI M., RUTHERFORD O. & SARGEANT A.J. Assessment of human leg muscle size by anthropometry and X-ray computerized tomography. (D) 4*P*

SAUNDERS N.R. *see* DZIEGIELEWSKA K. M., SAFRAN A., SAUNDERS N.R. & SOREQ H. Method for identification of synthesis of plasma proteins in sheep and rat fetal brain. (D) 17*P*

SAUNDERS N.R. *see* DZIEGIELESWKA K.M., REYNOLDS M.L., SARANTIS M.E.P. & SAUNDERS N.R. Plasma proteins in fetal sheep brain: correlation of immunohistochemical distribution and local synthesis. 48*P*

SCHACTER M. *see* BARTON S., KARPINSKI E., LONGRIDGE D. & SCHACTER M. Mediators of vasodilatation in the cat submandibular gland: possible roles of vasoactive intestinal peptide and acetylcholine. 112*P*

SCHOMBURG E.D. *see* KOEHLER W.J., SCHOMBURG E.D. & STEFFENS H. Phasic modulation of trunk muscle efferents during fictive spinal locomotion in cats. 187

SCHOUTEN V.J.A. The slow repolarization phase of the action potential in rat myocardium. 68*P*

SCHÜMPERLI R.A. *see* OETLIKER H. & SCHÜMPERLI R.A. Birefringence signal and early mechanical changes at normal and increased tonicities in frog skeletal muscle. 287

SCHWABER J.S. *see* MORUZZI P., SCHWABER J.S., SPYER K.M. & TURNER S.A. Amygdaloid influences on brainstem neurones in the rabbit. 43*P*

SEMPLE S.J.G. *see* CROSS Brenda A., LEAVER Kathryn D., SEMPLE S.J.G. & STIDWILL R.P. Response of carotid chemoreceptor discharge to small changes in P_{a,CO_2} in the cat. 131*P*

SHARMAN D.F. *see* HOLZBAUER Margarethe, RACKÉ K. & SHARMAN D.F. Release of 5-hydroxytryptamine from the neural and the intermediate lobe of the rat pituitary gland by electrical stimulation of the pituitary stalk *in vitro*. 102*P*

SHEETS M.F. *see* FOZZARD H.A., FRIEDLANDER I., JANUARY C.T., MAKIELSKI J.C. & SHEETS M.F. Second-order kinetics of Na^+ channel inactivation in internally dialysed canine cardiac Purkinje cells. 72*P*

SHENNAN D.B. *see* CHIPPERFIELD A.R. & SHENNAN D.B. The effect of changing pH and E_m on ouabain-insensitive Na and K efflux from human erythrocytes. 134*P*

SHIMAHARA T. *see* BERWALD-NETTER Y., SHIMAHARA T., TAKEDA K. & TAUC L. Acetylcholine-activated and voltage-gated currents from neuroblastoma cells. 89*P*

SHIPP S.D. *see* GRANT S., SHIPP S.D. & WILSON R.I. Differences in connectivity of two visual areas within the lateral suprasylvian (LS) complex of cat visual cortex. 21*P*

SHIPP S.D. & ZEKI S. Specificity of connexions is related to cytochrome oxidase architecture in area V2 of macaque monkey visual cortex. 23*P*

SLAUGHTER Robert S. *see* CRAGOE Edward, KACZOROWSKI Gregory J., REEVES John P. & SLAUGHTER Robert S. Amiloride analog interact with the monovalent cation binding site of the bovine heart sodium–calcium exchange carrier. 74*P*

SMITH D.M. *see* JUKES M.G.M. & SMITH D.M. Mid-brain lesions in male rats may cause either increases or decreases in the first ejaculatory interval of copulatory behaviour. 83*P*

SMITH G.L. *see* MCGRATH J.C., MILLER D.J. & SMITH G.L. Contractile responses of rat anococcygeus smooth muscle to noradrenaline at buffered low levels of ionized calcium. 66*P*

SMITH J.W. *see* KELLY S.S., MORGAN G.P. & SMITH J.W. Curare resistance in murine muscular dystrophy. 92*P*

SMITH Margaret E. & TURNER A.W. Effect of phospholipase C on the end-plate responses in mouse diaphragm. 93*P*

SNEDDON P. *see* BURNSTOCK G. & SNEDDON P. Pre-junctional control of excitatory junction potentials in isolated guinea-pig vas deferens by P_1-purinoceptors. 94*P*

SNOW D.H. *see* HARRIS R.C. & SNOW D.H. ATP depletion following intermittent maximal exercise in the horse. 58*P*

SOREQ H. *see* DZIEGIELEWSKA K. M., SAFRAN A., SAUNDERS N.R. & SOREQ H. Method for identification of synthesis of plasma proteins in sheep and rat fetal brain. (D) 17*P*

SPIRO S.G. *see* EDWARDS R.H.T., EFTHIMIOU J. & SPIRO S.G. Voltage independence of frequency:force relationship before and after fatiguing dynamic exercise in the sternomastoid muscle. 129*P*

SPITZER Nicholas C. *see* BIXBY John L. & SPITZER Nicholas C. The appearance and development of neurotransmitter sensitivity in *Xenopus* embryonic spinal neurones *in vitro*. 143

SPYER K.M. *see* MORUZZI P., SCHWABER J.S., SPYER K.M. & TURNER S.A. Amygdaloid influences on brainstem neurones in the rabbit. 43*P*

STEEDMAN Wilma M. *see* IGGO A., MOLONY V. & STEEDMAN Wilma M. Monosynaptic responses of nociceptive superficial dorsal horn neurones to electrical stimulation of unmyelinated primary afferents in the cat. 26*P*

STEFFENS H. *see* KOEHLER W.J., SCHOMBURG E.D. & STEFFENS H. Phasic modulation of trunk muscle efferents during fictive spinal locomotion in cats. 187

STIDWILL R.P. *see* CROSS Brenda A., LEAVER Kathryn D., SEMPLE S.J.G. & STIDWILL R.P. Response of carotid chemoreceptor discharge to small changes in P_{a,CO_2} in the cat. 131*P*

STONE Susan & WITKOVSKY Paul The actions of γ-aminobutyric acid, glycine and their antagonists upon horizontal cells of the *Xenopus* retina. 249

STORM-MATHISEN J. *see* CAMPBELL G., HUNT S.P., LIEBERMAN A.R., OHARA P.T., OTTERSEN O.P., STORM-MATHISEN J. & WU J.-Y. Immunohistochemical identification of GAD- and GABA-containing neurones in the olivary pretectal nucleus (OPN) of rat and mouse. 45*P*

STRAUB R.W. *see* MEDILANSKI J. & STRAUB R.W. Release of calcium by electrical activity in rabbit non-myelinated nerve. 126*P*

SWANN Karl & WHITAKER Michael The tumour promoter TPA stimulates protein synthesis in sea-urchin eggs by activating the plasma membrane sodium–hydrogen ion exchange. 86*P*

TAGGART P. *see* DONALDSON R.M., NASHAT F.S., NOBLE D. & TAGGART P. Differential effects of ischaemia and hyperkalaemia on myocardial repolarization and conduction times in the dog. 393

TAKEDA K. *see* BERWALD-NETTER Y., SHIMAHARA T., TAKEDA K. & TAUC L. Acetylcholine-activated and voltage-gated currents from neuroblastoma cells. 89*P*

TAUC L. *see* BERWALD-NETTER Y., SHIMAHARA T., TAKEDA K. & TAUC L. Acetylcholine-activated and voltage-gated currents from neuroblastoma cells. 89*P*

TAYLOR A. *see* GOTTLIEB Sue & TAYLOR A. Differences in the reflexes of alpha and fusimotor neurones of jaw-closing muscles in the decerebrate cat. 37*P*

TAYLOR A. *see* ELIAS S.A. & TAYLOR A. Direct projections of jaw proprioceptor first-order afferents to the cerebellar cortex in the ferret. 42*P*

TAYLOR C.M. *see* JONES H.C. & TAYLOR C.M. Absorption of the cerebrospinal fluid and intracranial compliance in an amphibian, *Rana pipiens*. 405

TER KEURS H.E.D.J. & MULDER B.J.M. Propagation of after-contractions in cardiac muscle of rat. 59*P*

TER KEURS H.E.D.J. *see* AKSTER H.A., GRANZIER H.L.M. & TER KEURS H.E.D.J. Force – sarcomere length relations vary with thin filament length in muscle fibres of the perch (*Perca fluviatilis L.*). 61*P*

TERRAR D.A. *see* MITCHELL Mary R., POWELL T., TERRAR D.A. & TWIST V.W. Effects of a change of stimulation rate on contraction and membrane currents in voltage-clamped cells from rat ventricle. 69*P*

THOMPSON S.W.N. *see* BLACKSHAW Susanna E., PARNAS I. & THOMPSON S.W.N. Changes in the central arborization of primary afferent neurones during development of the leech nervous system. 47*P*

THORNBURY K.D. *see* MCHALE N.G. & THORNBURY K.D. The effect of haemorrhage on peripheral lymph flow in conscious sheep. 114*P*

TILLOTSON Douglas *see* GORMAN A.L.F., LEVY Simon, NASI Enrico & TILLOTSON Douglas Intracellular calcium measured with calcium-sensitive micro-electrodes and Arsenazo III in voltage-clamped *Aplysia* neurones. 127

TOFTS Paul & WRAY Susan The time course of phosphorus-metabolite changes in developing rat brain estimated by ^{31}P nuclear magnetic resonance spectroscopy (NMRS). 123*P*

TRAVIS D.S. *see* BOWMAKER J.K., MOLLON J.D. & TRAVIS D.S. Variation in the photopigments of the common marmoset. 25*P*

TSAI Cheng-Wei *see* KIMURA Fukuko & TSAI Cheng-Wei Ultradian rhythm of growth hormone secretion and sleep in the adult male rat. 305

TSE C.M. *see* BELT J.A., JARVIS S.M., PATERSON A.R.P., TSE C.M., WU J.S. & YOUNG J.D. Reconstitution of the human erythrocyte nucleoside transporter into liposomes. 87*P*

TSIEN R.W. *see* FOX A.P., HESS P., LANSMAN J.B., NOWYCKY M.C. & TSIEN R.W. Slow variations in the gating properties of single calcium channels in guinea-pig heart cells, chick neurones and neuroblastoma cells. 75*P*

TURNER A.W. *see* SMITH Margaret E. & TURNER A.W. Effect of phospholipase C on the end-plate responses in mouse diaphragm. 93*P*

TURNER J.D. *see* BOAKES R.J., TURNER J.D. & VIRMANI M.A. Quantitative studies of transmitter release induced by impermeant anions from rat brain slices. 95*P*

TURNER S.A. *see* MORUZZI P., SCHWABER J.S., SPYER K.M. & TURNER S.A. Amygdaloid influences on brainstem neurones in the rabbit. 43*P*

TWIST V.W. *see* MITCHELL Mary R., POWELL T., TERRAR D.A. & TWIST V.W. Effects of a change of stimulation rate on contraction and membrane currents in voltage-clamped cells from rat ventricle. 69*P*

TYLER K.R. *see* HUDLICKA O. & TYLER K.R. The effect of long-term high-frequency stimulation on capillary density and fibre types in rabbit fast muscles. 435

UCHITEL O. *see* MILEDI R., REISER G. & UCHITEL O. Properties of acetycholine receptor-channels appearing after transection of frog skeletal muscle fibres. 88*P*

VASSORT Guy *see* MENTRARD Daniel, VASSORT Guy & CLAPIER Renee Ventura Effects of antiarrhythmic agents on the Ca conductance and the Na–Ca exchange in frog heart cells. 76*P*

VEPRINTSEV B.N. *see* ANDREEV A.A., VEPRINTSEV B.N. & VULFIUS Catherine A. Two-component desensitization of nicotinic receptors induced by acetylcholine agonists in *Lymnaea stagnalis* neurones. 375

VIRMANI M.A. *see* BOAKES R.J., TURNER J.D. & VIRMANI M.A. Quantitative studies of transmitter release induced by impermeant anions from rat brain slices. 95*P*

VISENTIN S. *see* DIFRANCESCO D., FERRONI A. & VISENTIN S. Cadmium blocks i_{Na} in calf Purkinje fibres. 73*P*

VULFIUS Catherine A. *see* ANDREEV A.A., VEPRINTSEV B.N. & VULFIUS Catherine A. Two-component desensitization of nicotinic receptors induced by acetylcholine agonists in *Lymnaea stagnalis* neurones. 375

WAKEFIELD Julie M. *see* JONES P.W. & WAKEFIELD Julie M. Stimulation of breathing by small changes in blood pressure in anaesthetized dogs. 116*P*

WALI F.A. The effect of angiotensin II at the frog neuromuscular junction. 91*P*

WALL P.D. *see* EMSON P.C., FITZGERALD M., GOEDERT M. & WALL P.D. Nerve growth factor partially reverses the neurophysiological and neurochemical effects of peripheral nerve section in the rat. 31*P*

WALSH E.G. *see* LAKIE M., WALSH E.G. & WRIGHT G.W. Resonance at the wrist demonstrated by the use of a torque motor: an instrumental analysis of muscle tone in man. 265

WANLESS R.B. Effects of cardiac denervation on ouabain-sensitive Rb uptake and sodium pump numbers in canine ventricle. 71*P*

WARD Jane *see* BURGH DALY M. de, WARD Jane & WOOD L.M. Comparison of the effects of lung inflation on the hind-limb vascular responses to stimulation of the carotid chemoreceptors and baroreceptors and to urinary bladder distention in the anaesthetized dog. 115*P*

WARD P.S. *see* CHAPMAN S.J., ROUND J.M. & WARD P.S. Fibre type composition and contractile properties of three human muscles. 51*P*

WARREN Anne *see* CAVANAGH Marion E. & WARREN Anne Uptake of plasma proteins from c.s.f. into ventricular zone cells in the neocortex of new-born rats. 49*P*

WELLS U.M. *see* PELL J., PHIPPS R.J., WELLS U.M. & WIDDICOMBE J.G. Control of mucoglycoprotein output from the rabbit nose. 339

WESTBROOK Gary L. *see* MAYER Mark L. & WESTBROOK Gary L. On the apparent membrane resistance change evoked by L-glutamic acid in mouse spinal neurones in culture. 96*P*

WHITAKER Michael *see* ZIMMERBERG Joshua & WHITAKER Michael Elevated colloid osmotic pressure reversibly inhibits calcium-dependent exocytosis in sea-urchin eggs. 85*P*

WHITAKER Michael *see* SWANN Karl & WHITAKER Michael The tumour promoter TPA stimulates protein synthesis in sea-urchin eggs by activating the plasma membrane sodium–hydrogen ion exchange. 86*P*

WHITTERIDGE David *see* MARTIN Kevan A.C. & WHITTERIDGE David Form, function and intracortical projections of spiny neurones in the striate visual cortex of the cat. 463

WIDDICOMBE J.G. *see* PELL J., PHIPPS R.J., WELLS U.M. & WIDDICOMBE J.G. Control of mucoglycoprotein output from the rabbit nose. 339

WILLIAMS T.D.M. *see* CARTER D.A., LIGHTMAN S.L. & WILLIAMS T.D.M. Sexual dimorphism in the posterior pituitary responses of the rat. 103*P*

WILLIAMSON R. *see* BUDELMANN B.U. & WILLIAMSON R. Dual sensitivity in angular acceleration in the isolated statocyst sac of the octopus. 46*P*

WILSON M.G.A. A general-purpose data-handling program for the Research Machines 380Z microcomputer. (D) 8*P*

WILSON R.I. *see* GRANT S., SHIPP S.D. & WILSON R.I. Differences in connectivity of two visual areas within the lateral suprasylvian (LS) complex of cat visual cortex. 21*P*

WITKOVSKY Paul *see* STONE Susan & WITKOVSKY Paul The actions of γ-aminobutyric acid, glycine and their antagonists upon horizontal cells of the *Xenopus* retina. 249

WOLEDGE R.C. *see* HEIZMANN C.W., PECKHAM M. & WOLEDGE R.C. A comparison of the rate of relaxation and isometric heat rate in sartorius and ELDIV muscles of the frog (*Rana temporaria*). 65*P*

WOOD L.M. *see* BURGH DALY M. de, WARD Jane & WOOD L.M. Comparison of the effects of lung inflation on the hind-limb vascular responses to stimulation of the carotid chemoreceptors and baroreceptors and to urinary bladder distention in the anaesthetized dog. 115*P*

WOOLF C.J. *see* MCMAHON S.B. & WOOLF C.J. The effects of peripheral injury on the mechanosensitivity of rat unmyelinated cutaneous afferents. 30*P*

WRAY Susan *see* TOFTS Paul & WRAY Susan The time course of phosphorus-metabolite changes in developing rat brain estimated by ^{31}P nuclear magnetic resonance spectroscopy (NMRS). 123*P*

WRIGHT G.W. *see* LAKIE M., WALSH E.G. & WRIGHT G.W. Resonance at the wrist demonstrated by the use of a torque motor: an instrumental analysis of muscle tone in man. 265

WRIGHT T. *see* GIBSON A., HART S.L. & WRIGHT T. A neural mechanism controlling plasma corticosterone in the pithed rat? 109*P*

WU J.-Y. *see* CAMPBELL G., HUNT S.P., LIEBERMAN A.R., OHARA P.T., OTTERSEN O.P., STORM-MATHISEN J. & WU J.-Y. Immunohistochemical identification of GAD- and GABA-containing neurones in the olivary pretectal nucleus (OPN) of rat and mouse. 45*P*

WU J.-Y. *see* BISCOE T.J., FRY J.P., RICKETS C. & WU J.-Y. Immunocytochemical visualization of L-glutamate decarboxylase in the cerebellum of the normal and the mutant mouse *Lurcher*. 122*P*

WU J.S. *see* BELT J.A., JARVIS S.M., PATERSON A.R.P., TSE C.M., WU J.S. & YOUNG J.D. Reconstitution of the human erythrocyte nucleoside transporter into liposomes. 87*P*

YARDLEY Jane *see* LAB M.J. & YARDLEY Jane Regional differences in electrical restitution of pig left ventricle. 70*P*

YAU K.-W. *see* NAKATANI K. & YAU K.-W. Measurement of Na–Ca exchange current in toad retinal rod after Ca loading. 77*P*

YOUNG J.D. *see* BELT J.A., JARVIS S.M., PATERSON A.R.P., TSE C.M., WU J.S. & YOUNG J.D. Reconstitution of the human erythrocyte nucleoside transporter into liposomes. 87*P*

ZEKI S. *see* SHIPP S.D. & ZEKI S. Specificity of connexions is related to cytochrome oxidase architecture in area V2 of macaque monkey visual cortex. 23*P*

ZIMMERBERG Joshua & WHITAKER Michael Elevated colloid osmotic pressure reversibly inhibits calcium-dependent exocytosis in sea-urchin eggs. 85*P*